

**SECTION 1: PRODUCT IDENTIFICATION**

<b>PRODUCT NAME</b>	<b>SODIUM BICARBONATE TABLETS, 325mg</b>
<b>PRODUCT CODE</b>	<b>3046</b>
<b>SUPPLIER</b>	<b>MEDISCA Inc.</b> Tel.: 1.800.932.1039   Fax.: 1.855.850.5855 661 Route 3, Unit C, Plattsburgh, NY, 12901 3955 W. Mesa Vista Ave., Unit A-10, Las Vegas, NV, 89118 6641 N. Belt Line Road, Suite 130, Irving, TX, 75063 <b>MEDISCA Pharmaceutique Inc.</b> Tel.: 1.800.665.6334   Fax.: 514.338.1693 4509 Rue Dobrin, St. Laurent, QC, H4R 2L8 21300 Gordon Way, Unit 153/158, Richmond, BC V6W 1M2 <b>MEDISCA Australia PTY LTD</b> Tel.: 1.300.786.392   Fax.: 61.2.9700.9047 Unit 7, Heritage Business Park 5-9 Ricketty Street, Mascot, NSW 2020
<b>EMERGENCY PHONE</b>	CHEMTREC Day or Night Within USA and Canada: 1-800-424-9300 NSW Poisons Information Centre: 131 126
<b>USES</b>	Antacid

**SECTION 2: HAZARDS IDENTIFICATION**

<b>GHS CLASSIFICATION</b>	Based on available data, the classification criteria are not met.			
<b>PICTOGRAM</b>	Not Applicable			
<b>SIGNAL WORD</b>	Not applicable			
<b>HAZARD STATEMENT(S)</b>	Not applicable			
<b>AUSTRALIA-ONLY HAZARDS</b>	Not Applicable.			
<b>PRECAUTIONARY STATEMENT(S)</b>	<b>Prevention</b>	Not applicable		
	<b>Response</b>	Not applicable		
	<b>Storage</b>	Not applicable		
	<b>Disposal</b>	Not applicable		
<b>HMS CLASSIFICATION</b>	<b>Health Hazard</b>	1	<b>Flammability</b>	0
	<b>Reactivity</b>	0	<b>Personal Protection</b>	A

**SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS**

<b>CHEMICAL NAME</b>	Not applicable
<b>BOTANICAL NAME</b>	Not applicable
<b>SYNONYM</b>	Not applicable
<b>CHEMICAL FORMULA</b>	Not applicable
<b>CAS NUMBER</b>	Not applicable
<b>ALTERNATE CAS NUMBER</b>	Not applicable

<b>MOLECULAR WEIGHT</b>	Not applicable		
<b>COMPOSITION</b>	<b>CHEMICAL NAME</b>	<b>CAS NUMBER</b>	<b>% BY WEIGHT</b>
	CELLULOSE	9004-34-6	*Proprietary
	SILICION DIOXIDE	7631-86-9	*Proprietary
	MAGNESIUM STEARATE	557-04-0	*Proprietary
	SODIUM BICARBONATE	144-55-8	~ 75
<b>NOTES</b>	<p>There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as health hazards and hence require reporting in this section.</p> <p>Contains sodium bicarbonate (325 mg/tablet), magnesium stearate, microcrystalline cellulose, and colloidal silicon dioxide.</p> <p>*Proprietary: Ingredients indicated as hazardous have been assessed under standards for workplace safety. In accordance with 29 CFR 1910.1200, the exact percentage composition of this mixture has been withheld as trade secret.</p>		

## SECTION 4: FIRST-AID MEASURES

<b>IN CASE OF EYE CONTACT</b>	Flush with copious amounts of water for 15 minutes, separating eyelids with fingers. If irritation persists seek medical aid.
<b>IN CASE OF SKIN CONTACT</b>	Wash with soap & water for 15 minutes. If irritation persists seek medical aid.
<b>IF SWALLOWED</b>	Call a physician. Wash out mouth with water. Do not induce vomiting without medical advice.
<b>IF INHALED</b>	Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Call a physician
<b>SYMPTOMS AND EFFECTS</b>	Not expected to present a significant hazard under anticipated conditions of normal use.

## SECTION 5: FIREFIGHTING MEASURES

<b>SPECIFIC HAZARDS ARISING FROM THE CHEMICAL</b>	Not applicable
<b>FLAMMABLE PROPERTIES</b>	May be combustible at high temperature
<b>HAZARDOUS COMBUSTION PRODUCTS</b>	Under fire conditions, hazardous fumes will be present.
<b>EXTINGUISHING MEDIA</b>	<b>Small fire:</b> dry chemical, CO <sub>2</sub> or water spray. <b>Large fire:</b> dry chemical, CO <sub>2</sub> , alcohol resistant foam or water spray. Do not get water inside containers.
<b>PROTECTIVE EQUIPMENT AND PRECAUTIONS FOR FIREFIGHTERS</b>	Wear self-contained breathing apparatus and protective clothing to prevent contact with skin and eyes.

## SECTION 6: ACCIDENTAL RELEASE MEASURES

<b>PERSONAL PRECAUTIONS</b>	Wear respiratory protection. Avoid dust formation. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Evacuate personnel to safe areas. Avoid breathing dust.
<b>METHODS &amp; MATERIAL FOR CONTAINMENT</b>	On land, sweep or shovel into suitable containers. Minimize generation of dust.

**CLEANUP PROCEDURE**

Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Wear respirator, chemical safety goggles, rubber boots and heavy rubber gloves. Stop leak if you can do it without risk. Prevent entry into waterways, sewers, basements or confined areas. Shut off all sources of ignition. Evacuate the area. If necessary, employ water fog to disperse the vapors. Absorb the matter with compatible vermiculite or other absorbing material. Place in a suitable container and retain for disposal. Ventilate and clean the affected area. Do not flush into sewerage system or to drains.

**SECTION 7: HANDLING AND STORAGE**
**PRECAUTIONS FOR SAFE HANDLING**

Do not inhale. Avoid contact with eyes, skin and clothing. Avoid prolonged or repeated exposure. Wash thoroughly after handling. Store away from incompatible materials, in a well-ventilated area. Eliminate all sources of ignition. Store in accordance with local regulations. Do not store in unlabelled containers. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Use appropriate containment to avoid environmental contamination.

**STORAGE CONDITIONS**

Store in original container, tightly sealed, protected from direct sunlight and moisture. Store at room temperature (15 - 30°C). Keep out of excessive light and humidity.

**SECTION 8: EXPOSURE CONTROLS/ PERSONAL PROTECTION**
**Chemical Name: CELLULOSE CAS #: 9004-34-6**

	TWA	Ceiling	STEL	REL	IDLH	Remarks
OSHA PEL	15 mg/m <sup>3</sup> (total); 5 mg/m <sup>3</sup> (resp)	N/L	-	-	-	-
ACGIH TLV	10 mg/m <sup>3</sup>	N/L	N/L	-	-	-
NIOSH	10 mg/m <sup>3</sup> (total); 5 mg/m <sup>3</sup> (resp)	N/L	N/L	N/L	N/L	-
AIHA WEEL	N/L	N/L	N/L	-	-	-
Safe Work Australia HSIS	N/L	N/L	N/L	-	-	-
HSE	10 mg/m <sup>3</sup> (inhalable); 4 mg/m <sup>3</sup> (respirable)	N/L	20 mg/m <sup>3</sup> (inhalable)	-	-	-

**Chemical Name: MAGNESIUM STEARATE CAS #: 557-04-0**

	TWA	Ceiling	STEL	REL	IDLH	Remarks
OSHA PEL	N/L	N/L	-	-	-	-
ACGIH TLV	N/L	N/L	N/L	-	-	-
NIOSH	N/L	N/L	N/L	N/L	N/L	-
AIHA WEEL	N/L	N/L	N/L	-	-	-
Safe Work Australia HSIS	N/L	N/L	N/L	-	-	-
HSE	N/L	N/L	N/L	-	-	-

YOUR TRUSTED PARTNER IN COMPOUNDING

Chemical Name: SILICION DIOXIDE CAS #: 7631-86-9

	TWA	Ceiling	STEL	REL	IDLH	Remarks
OSHA PEL	20 mppcf (80 mg/m <sup>3</sup> /%SiO <sub>2</sub> )	N/L	-	-	-	-
ACGIH TLV	N/L	N/L	N/L	-	-	-
NIOSH	6 mg/m <sup>3</sup>	N/L	N/L	N/L	3000 mg/m <sup>3</sup>	-
AIHA WEEL	N/L	N/L	N/L	-	-	-
Safe Work Australia HSIS	N/L	N/L	N/L	-	-	-
HSE	N/L	N/L	N/L	-	-	-

Chemical Name: SODIUM BICARBONATE CAS #: 144-55-8

	TWA	Ceiling	STEL	REL	IDLH	Remarks
OSHA PEL	N/L	N/L	-	-	-	-
ACGIH TLV	N/L	N/L	N/L	-	-	-
NIOSH	N/L	N/L	N/L	N/L	N/L	-
AIHA WEEL	N/L	N/L	N/L	-	-	-
Safe Work Australia HSIS	N/L	N/L	N/L	-	-	-
HSE	N/L	N/L	N/L	-	-	-

N/L = Not Listed

#### EXPOSURE GUIDELINES

Consult local authorities for provincial or state exposure limits. Particulates not otherwise regulated, respirable fraction: 5 mg/m<sup>3</sup>.

#### PERSONAL PROTECTIVE EQUIPMENT

**Eyes:** Wear appropriate protective eyeglasses or chemical safety goggles as described by WHMIS or OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard EN166. **Skin:** Wear appropriate gloves to prevent skin exposure. **Clothing:** Wear appropriate protective clothing to minimize contact with skin. **Respirators:** Follow WHMIS or OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.

#### SPECIFIC ENGINEERING CONTROLS

Adequate mechanical ventilation. Fumehood, eye wash station, and safety shower.

## SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

#### PHYSICAL STATE

Solid

#### DESCRIPTION

Round, biconvex, white to beige tablets.

#### SOLUBILITY

Not available

#### ODOR

Not available

#### FLAMMABILITY

May be combustible at high temperature

#### ODOR THRESHOLD

Not available

#### pH

Not available

#### MELTING POINT

Not available

#### BOILING POINT

Not available

#### FREEZING POINT

Not available

#### FLASH POINT

Not available

#### SPECIFIC GRAVITY

Not available

#### EVAPORATION RATE

Not available

#### EXPLOSIVE LIMIT

Not available

#### UPPER FLAMMABLE/ EXPLOSIVE LIMIT(S)

Not available

#### LOWER FLAMMABLE/ EXPLOSIVE LIMIT(S)

Not available

#### VAPOR PRESSURE

Not available

YOUR TRUSTED PARTNER IN COMPOUNDING

<b>VAPOR DENSITY (AIR = 1)</b>	Not available	<b>RELATIVE DENSITY (WATER = 1)</b>	Not available	<b>log P (OCTANOL-WATER)</b>	Not available
<b>AUTO-IGNITION TEMPERATURE</b>	Not available	<b>DECOMPOSITION TEMPERATURE</b>	Not available	<b>VISCOSITY</b>	Not available

**NOTES** The physical data presented above are typical values and should not be construed as a specification.

## SECTION 10: STABILITY AND REACTIVITY

<b>REACTIVITY</b>	Not established
<b>STABILITY</b>	Stable under recommended storage conditions
<b>MATERIALS TO AVOID</b>	Strong oxidants
<b>HAZARDOUS DECOMPOSITION PRODUCTS</b>	Toxic fumes of carbon monoxide, carbon dioxide, nitrogen oxides and other gases may occur
<b>HAZARDOUS POLYMERIZATION</b>	Will not occur
<b>POSSIBILITY OF HAZARDOUS REACTION</b>	Not established
<b>CONDITIONS TO AVOID</b>	Moisture, sunlight and extreme temperatures

## SECTION 11: TOXICOLOGICAL INFORMATION

<b>ACUTE TOXICITY</b>	Oral: Rat: LD50: (mg/kg): Not available Dermal: Rabbit: LD50: (mg/kg): Not available Inhalation: Rat: LD50: (mg/L/4hr): Not available
<b>SKIN CORROSION/IRRITATION</b>	Due to lack of data the classification is not possible.
<b>SERIOUS EYE DAMAGE/EYE IRRITATION</b>	Due to lack of data the classification is not possible.
<b>RESPIRATORY OR SKIN SENSITIZATION</b>	Respiratory sensitization: Due to lack of data the classification is not possible. Skin sensitization: Due to lack of data the classification is not possible.
<b>GERM CELL MUTAGENICITY</b>	Due to lack of data the classification is not possible.
<b>CARCINOGENICITY</b>	<p><b>OSHA</b> SILICION DIOXIDE is listed. No other component of this product, present at <math>\geq 0.1\%</math>, is listed.</p> <p><b>NTP</b> SILICION DIOXIDE is listed. No other component of this product, present at <math>\geq 0.1\%</math>, is listed.</p> <p><b>IARC</b> SILICION DIOXIDE is listed in group 3 (not classifiable as to its carcinogenicity to humans). No other component of this product, present at <math>\geq 0.1\%</math> has been evaluated.</p> <p><b>California Proposition 65</b> This product contains the following chemical known to the State of California to cause cancer: SILICION DIOXIDE. No other component of this product, present at <math>\geq 0.1\%</math> is known to the State of California to cause cancer, birth defects, or any other reproductive harm.</p>
<b>ADDITIONAL CARCINOGENICITY INFORMATION</b>	Based on available data, the classification criteria are not met.
<b>REPRODUCTIVE TOXICITY</b>	Due to lack of data the classification is not possible.
<b>SPECIFIC TARGET ORGAN TOXICITY - SINGLE EXPOSURE</b>	Due to lack of data the classification is not possible.

YOUR TRUSTED PARTNER IN COMPOUNDING

<b>SPECIFIC TARGET ORGAN TOXICITY - REPEATED EXPOSURE</b>	Due to lack of data the classification is not possible.	
<b>ASPIRATION HAZARDS</b>	Due to lack of data the classification is not possible.	
<b>SIGNS AND SYMPTOMS OF EXPOSURE</b>	Not expected to present a significant hazard under anticipated conditions of normal use.	
<b>POTENTIAL HEALTH EFFECTS</b>	<b>Inhalation</b>	May be harmful if inhaled. May cause respiratory tract irritation.
	<b>Ingestion</b>	May be harmful if swallowed.
	<b>Skin</b>	May be harmful if absorbed through skin. May cause skin irritation.
	<b>Eyes</b>	May cause eye irritation.

## SECTION 12: ECOLOGICAL INFORMATION

<b>TOXICITY</b>	EC50: 48 Hr: Crustacea: (mg/L): Not available LC50: 96 Hr: Fish: (mg/L): Not available EC50: 72 or 96 Hr: Algae (or other aqua plants): (mg/L): Not available
<b>PERSISTENCE AND DEGRADABILITY</b>	Not available
<b>BIOACCUMULATIVE POTENTIAL</b>	Not available
<b>MOBILITY IN SOIL</b>	Not available
<b>OTHER ADVERSE EFFECTS</b>	Not available This product is not intended to be released into the environment

## SECTION 13: DISPOSAL CONSIDERATIONS

<b>WASTE DISPOSAL</b>	Dispose of in accordance with federal / local laws and regulations. Avoid release into the environment.
-----------------------	---

## SECTION 14: TRANSPORT INFORMATION

<b>UNITED STATES &amp; CANADA</b>	
<b>UN PROPER SHIPPING NAME</b>	Not dangerous good
<b>UN NUMBER</b>	Not applicable
<b>CLASS</b>	Not applicable
<b>PACKING GROUP</b>	Not applicable
<b>AUSTRALIA</b>	
<b>UN PROPER SHIPPING NAME</b>	Not dangerous good
<b>UN NUMBER</b>	Not applicable
<b>CLASS</b>	Not applicable
<b>PACKING GROUP</b>	Not applicable
<b>HAZCHEM</b>	Not applicable
<b>ENVIRONMENTAL HAZARDS</b>	Not available
<b>SPECIAL SHIPPING INFORMATION</b>	Not applicable

**SECTION 15: REGULATORY INFORMATION**

Chemical Name & CAS	CERCLA 40 CFR Part 302.4	SARA (Title III) 40 CFR Part 372.65	EPA 40 CFR Part 355		Pennsylvania	Right-to-know			California Prop 65
			Appendix A	Appendix B		New Jersey	Massachusetts		
CELLULOSE 9004-34-6	N/L	N/L	N/L	N/L	X	X	X	N/L	
SILICION DIOXIDE 7631-86-9	N/L	N/L	N/L	N/L	X	N/L	X	X	
MAGNESIUM STEARATE 557-04-0	N/L	N/L	N/L	N/L	N/L	N/L	N/L	N/L	
SODIUM BICARBONATE 144-55-8	N/L	N/L	N/L	N/L	N/L	N/L	N/L	N/L	

N/L = Not Listed; X = Listed

**AUSTRALIAN REGULATIONS**

Chemical Name & CAS	Poisons and Therapeutic Goods Regulation	Therapeutic Goods Act	Code of Practices - Illicit Drug Precursors
CELLULOSE 9004-34-6	N/L	N/L	N/L
SILICION DIOXIDE 7631-86-9	N/L	N/L	N/L
MAGNESIUM STEARATE 557-04-0	N/L	N/L	N/L
SODIUM BICARBONATE 144-55-8	N/L	N/L	N/L

**SECTION 16: OTHER INFORMATION**
**REFERENCES**

Available upon request

**ABBREVIATIONS AND ACRONYMS**

**CAS** – Chemical Abstract Service; **GHS** – Global Harmonized System; **OSHA PEL** – Occupational Safety & Health Administration Permissible Exposure Limits; **TWA** – Time Weighted Average; **HSIS** – Hazardous Substances Information System; **STEL** – Short Term Exposure Limit; **AIHA WEEL** – American Industrial Hygiene Association Workplace Environment Exposure Levels; **LD50** – Lethal Dose, 50%; **IARC** – International Agency for Research on Cancer; **NTP** – National Toxicology Program; **WHMIS** – Workplace Hazardous Materials Information System; **SARA** – Superfund Amendments and Reauthorization Act; **EPA** – Environmental Protection Agency; **CERCLA** – Comprehensive Environmental Response, Compensation, and Liability Act; **HMIS** – Hazardous Materials Information System; **NIOSH** – National Institute for Occupational Safety and Health; **MSHA** - Mine Safety and Health Administration; **ACGIH** - American Conference of Governmental Industrial Hygienists; **IDHL** - Immediately Dangerous to Health or Life; **TLV** – Threshold Limit Value; **HSE** – Health and Safety Executive; **REL** - Recommended Exposure Limit

**LAST REVISION**

05/2019

**SUPERSEDES**

10/2016

**DISCLAIMER**

This document was created in accordance with OSHA, Safe Work Australia and WHMIS regulations. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. MEDISCA<sup>®</sup> shall not be held liable for any damage resulting from handling or from contact with the above product. Recipients of the product must take responsibility for observing existing laws and regulations.